



Model year 2018

SUN ODYSSEY DS

Sun Odyssey 41 DS



Sun Odyssey 44 DS



Certification conform with CE regulation.

	SO 41 DS	SO 44 DS
SPECIFICATIONS		
Overall length	40'5"	43'9"
Hull length	39'4"	42'7"
Waterline length	36'1"	39'4"
Beam	13'1"	13'10"
Displacement	19,335 lbs	21,495 lbs
Standard keel draft cast iron fin keel	6'10"	7'2"
Shoal draft cast iron fin keel	5'1"	5'2"
Engine	Yanmar 45 HP	Yanmar 57 HP
Cabins	2	2/3
Berths	4 (+2)	4/6 (+2)
Fuel	53 Us gal	53 Us gal
Water	87 Us gal	87 Us gal
Fridge compartment	49 Us gal	49 Us gal
CE category	A7/B8/C10 (*)	A8/B10/C12
Architects	F. Darnet / P. Briand / Jeanneau Design / Flahault Design	F. Darnet / P. Briand / Jeanneau Design / Flahault Design

SAILS

Standard - Furling mast	SO41DS	SO44DS
Furling mainsail high-tenacity Dacron cloth, Sunbrella® UV luff protection	364 sqft	430 sqft
Furling genoa 106% high-tenacity Dacron cloth, Sunbrella® UV luff protection	349 sqft	447 sqft

Additional options	SO41DS	SO44DS
Self-tacking jib tri-radial construction in Mylar/taffeta X-Grid grey, Sunbrella® UV luff protection, includes track mounted forward of the mast	303 sqft	380 sqft
Code 0 tri-radial construction in Mylar/Aramid X-Grid grey, continuous line furling (requires asymmetrical spinnaker gear option)	753 sqft	822 sqft
Asymmetrical spinnaker optimal size for the boat (sail not available)	1,173 sqft	1,431 sqft

Upgraded sails for furling mast	SO41DS	SO44DS
Furling mainsail tri-radial construction in Mylar/taffeta X-Grid grey	364 sqft	430 sqft
Furling genoa 106% tri-radial construction in Mylar/taffeta X-Grid grey, Sunbrella® UV luff protection	349 sqft	447 sqft

Classic mast	SO41DS	SO44DS
Mainsail full-batten , tri-radial construction in Mylar/taffeta X-Grid grey, 2 automatic reefs, Lazy bag and jacks	454 sqft	520 sqft
Furling genoa 106% tri-radial construction in Mylar/taffeta X-Grid grey, Sunbrella® UV luff protection	349 sqft	447 sqft

■ Standard □ Option - Not available

This document is non contractual and we reserve the right to modify equipment or specification without advance notice. Updated September 2017.

		SO 41 DS	SO 44 DS
■	MAST & RIGGING		
	Furling mast aluminium with double spreaders, deck-stepped	■	■
	Standing rigging discontinuous 1x19stainless steel wire	■	■
	Backstay double	■	■
	Furling genoa with twin grove and furling line led to cockpit	■	■
	Running rigging boom topping lift, main halyard, jib halyard, main sheet, jib sheets in polyester	■	■
	Genoa winches 2 x Harken 46.2 self-tailing	■	■
	Harken “rewind” genoa winches 2 x 46.2 winch that can sheet in and out electrically	□	□
	Coachroof winch to port Harken 40.2 self-tailing	■	■
	Coachroof winch to starboard Harken 40.2 self-tailing	□	□
	Electric coachroof winch 1 x harken 40.2 self-tailing in place of standard winch to port	□	□
	Genoa tracks with adjustable cars	■	■
	Winch handles 2 x Harken	■	■
	Line stoppers Spinlock on coachroof and forward of each primary winch for main and jib sheets	■	■
	Asymmetrical spinnaker gear halyard, 2 sheets, tack line, harken blocks	□	□
■	COCKPIT		
	Wood battens on bench seats and transom steps	■	■
	Wood cockpit floor inlay	□	□
	Wood side decks hand-laid wooden side decks	□	□
	Cockpit lockers 2 lockers under bench seats and 1 deep locker under helm seat	■	■
	Well for sliding companionway hatch provides storage for halyards	■	■
	Cockpit table with folding leaves, icebox, removable lamp and space for GPS mount	■	■
	Solid wood cockpit table with all the same functions of the standard table, but with wooden leaves	□	□
	Open aft transom with telescopic ladder and locker for snorkelling items	■	■
	Gas locker for 2 bottles	■	■
	Steering wheels leather-wrapped x 2, compass and grabrail at each helm	■	■
	Steering wheel covers Sunbrella® Taupe with zips for easy removal	□	□
	Cockpit table cover Sunbrella® Taupe (with or without GPS)	□	□
	Emergency tiller and fitting in the cockpit floor	■	■
	Engine control: throttle lever and engine panel installed at starboard helm station	■	■
	Cockpit cushions Sunbrella® Sling Taupe with backrests and attachment clips	□	□
■	DECK EQUIPMENT		
	Bow pulpit open, stainless steel	■	■
	Stern pulpits stainless steel with flag holder and buoy bracket	■	■
	Outboard engine bracket mounted on stern pulpit	□	□
	Electric windlass Quick 1000W combination rope and chain, vertical-mounted in the anchor locker, hand-held remote, manual handle	EXCELLENCE	
	Windlass control second windlass control mounted in cockpit with chain counter for easy, short-handed anchoring	□	□
	Anchor roller stainless steel	■	■
	Double anchor roller , stainless steel fitting with tack point reinforcement	EXCELLENCE	EXCELLENCE
	Anchoring kit Delta anchor 20kg with 32 meters of 10mm chain and 45 meters of 18mm line	□	□
	Lifelines double level of stainless steel lifelines, stainless steel stanchions	■	■
	Lifeline gates opening gates on each side	EXCELLENCE	EXCELLENCE
	Toe rail	■	■
	Vinyl rubrail for hull protection	□	□
	Cleats 4 x aluminium mooring cleats	■	■
	Midship cleats 2 x aluminium cleats placed on side deck	EXCELLENCE	EXCELLENCE
	Mooring kit fenders and docklines	□	□
	Handrails in stainless steel along coachroof	■	■
	Anchor locker	■	■
■	TECHNICAL		
	CONSTRUCTION		
	Deck Prisma Process® injected deck, ISO gelcoats	■	■
	Hull solid , hand-laid fibreglass, ISO gelcoats, protective barrier coat	■	■
	Structure inner fibreglass grid, high-load zones cut out, drainage system through structure, special emergency repair zone in keel area	■	■

■ Standard □ Option - Not available

	SO 41 DS	SO 44 DS
LIGHTING		
LED navigation lights and anchor light	■	■
Flush-mounted chromed brass LED ceiling lights in saloon, head compartments and cabins	■	■
Leather-wrapped LED reading lights in forward cabin and aft cabin(s)	■	■
Lamps on night tables to either side of aft berth	■	■
Task lighting in the galley and head compartments	■	■
Gooseneck LED chart light white/red mounted at nav station	■	■
ELECTRICAL		
12v alternator output	125 A	125 A
Charge distributor/isolator	■	■
Engine start battery capacity 12v	110 Ah	110 Ah
House battery capacity 12v	230 Ah	230 Ah
2 x extra 115 Ah domestic batteries	□	□
Positive battery switch for engine and domestic bank and general cut-off switch	■	■
Electrical panel with 12v breakers, 110v breakers, 12v voltmeter	■	■
Shorepower 110v inlet with differential breaker, one 110v plug per cabin, 110v plug in galley, saloon and nav station	■	■
60A battery charger, multi-phase	■	■
Inverter 2000W 12v / 110v	□	□
12v plug per cabin and at nav station	■	■
110v stainless steel microwave, installed in galley cabinet	□	□
Generator 4kw ONAN 110v located in transom, power selector switch and generator panel located at nav station, exhaust separator with below waterline discharge for silent operation	-	□
PLUMBING		
Hot and cold pressurised water distributed through-out the boat via semi-rigid hose	■	■
"Heavy-duty" water pump and accumulator tank	■	■
11 Usgal hot water tank that is connected to engine heat exchanger and to 110v	■	■
Chromed shower faucets in washrooms	■	■
Electric bilge pump on float switch and manual dual-action pump in the cockpit	■	■
Extra fresh water tank 52 Usgal located under aft starboard berth	□	□
Digital water level display	■	■
Shower sumps equipped with individual electric pumps and on-off switches	■	■
Hot and cold water shower at the transom	EXCELLENCE	■
Large manual pump marine toilets	■	■
Electric Quiet-Flush toilets in place of standard, available for each head compartment	□	□
21 Usgal holding tank in aft head with deck fitting and gravity overboard discharge	■	■
21 Usgal holding tank with gravity drain and deck fitting for forward starboard head	□	□
ENGINE		
Yanmar (4JH45-CR) 45 HP , 33Kw Sail drive	■	-
Yanmar (4JH57-CR) 57 HP , 41Kw Sail drive	-	■
Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin	■	■
Fuel/water separator	■	■
Built-in muffler, forced air ventilation and stainless steel exhaust fitting aft	■	■
Fixed 3-blade propeller	■	■
Folding propeller, 3-blade, Flex-o-Fold	□	□
Bow thruster installed in a tunnel with dedicated batteries	□	□
Fibreglass rudder	■	■
C O M F O R T		
Fixed hull ports with shades (4 in the saloon and 2 in the aft cabin and 2 in the forward cabin)	8	8
Opening cockpit and transom ports (all 3 in the aft cabin)	3	3
Lateral fixed windows	6	6
Opening deck hatches	7	11
Vertical-sliding companionway hatch	■	■
Combination shade/insect screens for deck hatches	EXCELLENCE	EXCELLENCE
Additional 12v fridge 17 Usgal installed under navigation desk	□	□
Wine cabinet 110v installed under navigation desk	□	□
CD/MP3 player FUSION	EXCELLENCE	EXCELLENCE
BOSE® 2.1 speaker system ACCOUSTIMASS 3, speakers with base unit in saloon	EXCELLENCE	EXCELLENCE
Cockpit speakers x 2, watertight	EXCELLENCE	EXCELLENCE
TV LED 22" + DVD player in salon	□	□
Amplified antenna for TV for masthead mounting	□	□
Air Conditioning 110v 24000 BTU 2 units installed under saloon seating and in stern, vents in saloon, head compartments and forward and aft cabins control panel and thermostat	□	-
Air Conditioning 110v 32000 BTU 2 units installed under saloon seating and in stern, vents in saloon, head compartments and forward and aft cabins control panel and thermostat	-	□
Forced air heating 1 unit 5500 BTU Webasto® diesel heater installed in stern, vents in aft cabin, saloon and head compartments	□	□

■ Standard □ Option - Not available

	SO 41 DS 2C/2H	SO 44 DS 2C/2H	3C/2H
INTERIOR			
WOOD			
Fine Teak® interior laminated panels with solid wood trim around galley, companionway and cabinetry, finished in satin UV stabilised varnish	■	■	■
Laminate floorboards with in light oak finish and dark stripes	■	■	■
FORWARD CABIN			
Forward guest suite with large double berth	■	■	-
Large hanging locker	-	■	-
Deep cabinet with shelves	-	■	-
Hanging locker	■	-	■
Desk/vanity with storage	-	■	-
White vinyl lining on hull with lateral wood shelf	■	■	■
Full-length mirror	-	■	-
Stainless steel handrail	■	■	■
Large, private head compartment with shower, moulded sink, mirror, toilet tissue holder, storage compartments above sink and electric shower pump	■	■	■
Separate shower compartment with shower column	-	■	■
Plexiglass folding door for separate shower compartment	-	EXCELLENCE	EXCELLENCE
Island-bed type double berth 6'11" x 5'7" x 2'7"	-	■	-
Double berth 6'6" x 6'10" x 2'4"	-	-	■
Double berth 6'7" x 6'8" x 2'7"	■	-	-
Ajustable headrest for reading in bed	EXCELLENCE	-	-
Two single, upper and lower bunks (upper berth 6'7" x 2'2", lower berth 6'7" x 2'1") with hanging locker and shelf	-	-	■
AFT CABIN			
Aft owners suite	■	■	■
Double berth with high-density foam mattress 6'6" x 6'3" x 3'11"	■	■	■
Large hanging locker	■	■	■
Storage locker with shelves	■	■	■
Vinyl hull lining on hull with opening cabinets along hull with stainless steel fiddles	■	■	■
Night tables covered in leatherette	■	■	■
Leatherette headboard	■	■	■
Seats to each side of the bed	■	■	■
Shelf and storage cabinet over engine compartment	■	■	■
Large head with dedicated space for separate shower, moulded sink, mirror, toilet tissue holder, shower column, storage compartments above sink and electric shower pump	■	■	■
Plexiglass folding door for separate shower compartment	EXCELLENCE	EXCELLENCE	EXCELLENCE
CHART TABLE			
Main electrical panel	■	■	■
Chart table with storage, space for a laptop computer, chart storage, stainless steel fiddles, white-lacquered cabinet, space to stow optional saloon stool, large bar cabinet that can also house other optional equipment	■	■	■
SALOON			
U-shaped saloon to starboard with plush seating and storage underneath	■	■	■
Saloon table with 2 removable legs	■	■	■
Luxury folding table mounted on adjustable height pedestal, electrically controlled. Table top can be rotated and folding to increase table surface area	□	□	□
Saloon berth conversion kit including cushion for table top	□	□	□
1 stool for saloon or forward cabin desk	□	□	□
Upper storage cabinets with stainless steel fiddles	■	■	■
Sofa lounge to port with plush cushions and upper storage cabinets with stainless steel fiddles	■	■	■
Storage under sofa lounge	■	■	■
Handholds under the windows and on the ceiling	■	■	■
Vinyl hull lining on hull	■	■	■
Companionway with plexiglass door and wooden steps	■	■	■
GALLEY			
L Galley located to starboard with opening and sliding sink cover	■	■	■
Moulded double sink with chrome faucet with spray nozzle and storage cabinets, drawers with soft-return system, special storage drawer for spices, bottles and dish clothes, waste bin	■	■	■
Luxury 2-burner stove with black finish, wood handle, stainless steel oven/broiler	EXCELLENCE	EXCELLENCE	EXCELLENCE
48 Usgal fridge compartment with storage baskets and top access, 12v compressor	■	■	■
White-lacquered upper storage cabinets with fiddles	■	■	■
Vertical fridge door	EXCELLENCE	EXCELLENCE	EXCELLENCE
HEAD ROOM			
Forward cabin	5'11" / 6'3"	6'1" / 6'5"	
Aft cabin	5'11"	6'1"	
Companionway	6'5"	6'7"	
Saloon	6' / 6'4"	6'2" / 6'6"	
Galley	6'4"	6'6"	

■ Standard □ Option - Not available C = Cabins H = Head



JEANNEAU

